Åkerstedt T: see Gamberale et al, suppl 1, p 5
Åkerstedt T: Psychological and psychophysiological effects of shift work, suppl 1, p 67
Ahlbom A, et al: Interpretation of "negative" studies in occupational epidemiology, p 153
Ahlborg G: see Olsen et al, p 163
Ahlborg GA Jr: Validity of exposure data obtained by questionnaire: two examples from occupational reproductive studies, p 284
Alegre J, et al: Respiratory symptoms and pulmonary function of workers exposed to cork dust, toluene diisocyanate and conidia, p 175
Alho JM, et al: Estimates of new compensated cases of occupational diseases in Finland in 1977—1983, p 406
Allen JW: see Loomis et al, p 355
Andrews L: see Herbert et al, p 135
Andrup L, et al: Biosafety considerations in industries with production methods based on the use of recombinant deoxyribonucleic acid, p 85
Aurell A: see Barregård et al, p 423
Axelson O: see Ahlbom et al, p 153
Bakke P, et al: Smoking habits and lifetime occupational exposure to gases or dusts, including asbestos and quartz, in a Norwegian community, p 195
Baron CE, Thomenson JA: Association between exposure to a stenching agent in a herbicide packing plant and the occurrence of headache and lethargy, p 440
Barregård L, et al: Cerebrospinal fluid proteins in men with chronic encephalopathy after exposure to organic solvents, p 423
Baskind E: see Hnizdo et al, p 411
Belin L: see Wass & Belin, p 208
Bergholtz L: see Möller et al, p 189
Bergström T: see Skare et al, p 340
Berrino F: see Crosignani et al, p 442
Bertollini R, et al: Reduction of births in Italy after the Chernobyl accident, p 96
Bjerkedal T: see Olsen et al, p 163
Blair A, et al: Epidemiologic evidence on the relationship between formaldehyde exposure and cancer, p 381
Blettner M: see Restrepo et al, p 239
Blomstrand C: see Barregård et al, p 423
Bonde JP, et al: Fertility among Danish male welders, p 315
Borg G: Psychophysical scaling with applications in physical work and the perception of exertion, suppl 1, p 55
Brackbill RM, et al: Risk of neuropsychiatric disability among painters in the United States, p 182
Brandt L: see Olsen et al, p 163
Brandt LPA: see Nielsen & Brandt, p 323
Brandt LPA, Nielsen CV: Congenital malformations among children of women working with video display terminals, p 329
Bredsdorff P: see Schneider et al, p 434
Caillard J-F: see Stücker et al, p 102
Chaplin J, et al: Health and safety requirements of jobs (letter to the Editor), p 294
Chapman A, et al: Chronic perceived work stress and blood pressure among Australian government employees, p 258
Ciccone G: see Vineis et al, p 444
Cobo E: see Alegre et al, p 175
Cohen A: see Lanes et al, p 247
Collin R: see Stücker et al, p 102
Crosignani P, et al: Authors' reply (letter to the Editor), p 442
Danish Indoor Climate Study Group: see Skov et al, p 363
Davidsen E: see Lundqvist et al, p 278
Day NE: see Restrepo et al, p 232
Day N: see Restrepo et al, p 239
de Romero L: see Restrepo et al, p 232
Di Lallo D: see Bertollini et al, p 96
Domenighetti G: see Perucchi & Domenighetti, p 440
Donna A: see Crosignani et al, p 442
Dreyer NA: see Lanes et al, p 247
Edwards F: see Chaplin et al, p 294
Edye BV: see Chapman et al, p 258
Egenæs J: see Olsen et al, p 163
Eide GE: see Bakke et al, p 195
Ekenvall L, et al: Sensory perception in the hands of dentists, p 334
Ekenvall L: see Milerad & Ekenvall, p 129
Enander AE, Hygge S: Thermal stress and human performance, suppl 1, p 44
Engqvist A: see Skare et al, p 340
Falconer C: see Ekenvall et al, p 334
Falk AA, et al: Uptake, distribution and elimination of α-pinene in man after exposure by inhalation, p 372
Ferguson DA: see Chapman et al, p 258
Fischbach T: see Brackbill et al, p 182
Fleming LE, et al: Liver injury in workers exposed to dimethylformamide, p 289
Floyd M: see Chaplin et al, p 294
Frommer MS: see Chapman et al, p 258
Gamberale F: Physiological and psychological effects of exposure to extremely low-frequency electric and magnetic fields on humans, suppl 1, p 51
Gamberale F, Kjellberg A, ed: Behavioral and psychophysiological effects of the physical work environment, suppl 1
Gamberale F, et al: Behavioral and psychophysiological effects of the physical work environment: research strategies and measurement methods, suppl 1, p 5
Gamberale F: see Iregren & Gamberale, suppl 1, p 17
Gamberale F: Perception of effort in manual materials handling, suppl 1, p 59
Giraldo A: see Restrepo et al, p 239
Godbold JH: see Herbert et al, p 135
Gout M: see Stücker et al, p 102
Grønnesby JK: Kongerud J et al, p 270
Gulsvik A: see Bakke et al, p 195
Gustavsson P, et al: Lung cancer and exposure to diesel exhaust among bus garage workers, p 348
Hagberg MT: see Falk et al, p 372
Haglid K: see Barregård et al, p 423
Haglid KG, et al: Authors' reply (letter to the Editor), p 145
Hakulinen T: see Partanen et al, p 394
Halvorsen BA: see Olsen et al, p 163
Hanoa R: see Bakke et al, p 195
Hansen KS: see Bonde et al, p 315
Hayes RB: see Blair et al, p 381
Heederik D: see Kateman et al, p 428
Heinonen OP: see Olsen et al, p 163
Hemminki K, et al: Postlabeling and immunoassay analysis of polycyclic aromatic hydrocarbons — adducts of deoxyribonucleic acid in white blood cells of foundry workers, p 158
Hemminki K: see Olsen et al, p 163
Hémon D: see Stücker et al, p 102
Herbert R, et al: Detection of adducts of deoxyribonucleic acid in white blood cells of roofers by ^{32}P-postlabeling: relationship of adduct levels to measures of exposure to polycyclic aromatic hydrocarbons, p 135
Hernandez C: see Restrepo et al, p 239
Hernberg S: see Partanen et al, p 394
Hewer A: see Hemminki et al, p 158
Hnizdo E, et al: Combined effect of silica dust exposure and tobacco smoking on the prevalence of respiratory impairments among gold miners, p 411
Hodgson JT, Jones RD: Mortality of workers in the British cotton industry in 1968—1984, p 113
Hogstedt C: see Ahlbom et al, p 153
Hogstedt C: see Gustavsson et al, p 348
Huuhtanen P: Book review of *Computers, work and health: a socio-technical approach*, p 215
Huuhtanen P: Book review of *Information technology and organisational change*, p 215
Hygge S: see Enander & Hygge, suppl 1, p 44
International Committee on Nickel Carcinogenesis in Man (Sir Richard Doll, chairman): Report of the International Committee on Nickel Carcinogenesis in Man, p 1
Iregren A, Gamberale F: Human behavioral toxicology: central nervous effects of low-dose exposure to neurotoxic substances in the work environment, suppl 1, p 17
Jaakkola JJK: Book review of *Problem buildings: building-associated illness and the sick building syndrome*, p 295
Jensen PL: see Lundqvist et al, p 278
Jensen UJ: see Ahlbom et al, p 153
Johansson G: see Gamberale et al, suppl 1, p 5
Jones RD: see Hodgson & Jones, p 113

Karjalainen S: see Sankila et al, p 252
Karlsson J-E: see Haglid et al, p 145
Kateman E, et al: Relationship of airborne microorganisms with the lung function and leucocyte levels of workers with a history of humidifier fever, p 428
Kauppinen T: see Partanen et al, p 394
Kilpikari I: *Occupational health practice,* p 296
Kjellberg A: Subjective, behavioral and psychophysiological effects of noise, suppl 1, p 29
Kjellberg A: Psychological aspects of occupational vibration, suppl 1, p 39
Kjellberg A: see Gamberale & Kjellberg, suppl 1
Kjellberg A: see Gamberale et al, suppl 1, p 5
Kølvraa S: see Andrup et al, p 85
Kolstad H: see Olsen et al, p 163
Kongerud J, et al: Respiratory symptoms and lung function of aluminum potroom workers, p 270
Kristensen TS: Author's reply (letter to the Editor), p 147
Kurppa K: Book review of *Practical occupational health,* p 150
Kurttio P, Savolainen K: Ethylenethiourea in air and in urine as an indicator of exposure to ethylenebisdithiocarbamate fungicides, p 203
Kyyrönen P: see Olsen et al, p 163
Läärä E: see Sankila et al, p 252
Landrigan PJ: see Herbert et al, p 135
Lanes SF, et al: Mortality of cellulose fiber production workers, p 247
Larsby B: see Möller et al, p 189
Ledin T: see Möller et al, p 189
Levine RJ: see Bonde et al, p 315
Lidström E-B: see Gustavsson et al, p 348
Lindbohm M-L: see Olsen et al, p 163
Linde P: see Schneider et al, p 434
Löf AE: see Falk et al, p 372
Loomis DP, et al: Micronuclei in epithelial cells from sputum of uranium workers, p 355
Lu XQ: see Herbert et al, p 135
Lundqvist GR, et al: Moderate cold exposure in the Faroe fishing industry, p 278
Luukkonen R: see Partanen et al, p 394
Lynge E, Thygesen L: Occupational cancer in Denmark: cancer incidence in the 1970 census population, suppl 2
Lynge E, Thygesen L: Primary liver cancer among women in laundry and dry-cleaning work in Denmark, p 108
Lynge E: see Skov T, et al, p 401
Magnus P: Kongerud J et al, p 270
Maizlish N: see Brackbill et al, p 182
Malmivaara A: Book review of *A colour atlas of low back pain,* p 379
Mandryk JA: see Chapman et al, p 258
Marcus M: see Herbert et al, p 135
Mastroiacovo P: see Bertollini et al, p 96
Michel I: see Norbäck et al, p 121
Miettinen OS, Rossiter CE: Man-made mineral fibers and lung cancer: epidemiologic evidence regarding the causal hypothesis, p 221
Mikkelsen S: see Skov T, et al, p 401
Milerad E, Ekenvall L: Symptoms of the neck and upper extremities in dentists, p 129
Minder CE: Re: "Triazine herbicides and ovarian epithelial neoplasms" by A Donna, P Crosignani, F Robutti, PG Betta, R Bocca, N Mariani, F Ferrario, R Fissi, F Berrino *Scand J Work Environ Health* 1989;15:47—53 (letter to the Editor), p 441
Möller C, et al: Otoneurological findings in workers exposed to styrene, p 189
Morell F: see Alegre et al, p 175
Muñoz N: see Restrepo et al, p 239
Muñoz N: see Restrepo et al, p 232
Nguyen-Dinh X: see Restrepo et al, p 232
Nickels J: see Partanen et al, p 394
Nielsen BH: see Andrup et al, p 85
Nielsen CV, Brandt LPA: Spontaneous abortion among women using video display terminals, p 323
Nielsen CV: see Brandt & Nielsen, p 329
Nielsen O:see Schneider et al, p 434
Nilsson BY: see Ekenvall et al, p 334
Nilsson L: see Barregård et al, p 423
Norbäck D, et al: Indoor air quality and personal factors related to the sick building syndrome, p 121
Ödkvist L: see Möller et al, p 189
Olsen J, et al: Low birthweight, congenital malformations, and spontaneous abortions among dry-cleaning workers in Scandinavia, p 163
Olsen J: see Ahlbom et al, p 153
Olsen J: see Schaumburg & Olsen, p 169
Pal TM: see Kateman et al, p 428
Parra JE: see Restrepo et al, p 232
Parra JE: see Restrepo et al, p 239
Partanen T, et al: Formaldehyde exposure and respiratory cancer among woodworkers — an update, p 394
Pedersen BV: see Skov et al, p 363
Perera FP: see Herbert et al, p 135
Perera FP: see Hemminki et al, p 158
Perucchi M, Domenighetti G: The Chernobyl accident and induced abortions: only one-way information (letter to the Editor), p 440
Perucci CA: see Bertollini et al, p 96
Phillips DH: see Hemminki et al, p 158
Plato N: see Gustavsson et al, p 348
Poyen D: see Stücker et al, p 102
Pukkala E: see Sankila et al, p 252
Pukkala E: see Partanen et al, p 394
Putman KL: see Hemminki et al, p 158
Randerath K: see Hemminki et al, p 158
Reddy MV: see Hemminki et al, p 158
Redlich CA: see Fleming et al, p 289
Restrepo M, et al: Prevalence of adverse reproductive outcomes in a population occupationally exposed to pesticides in Colombia, p 232
Restrepo M, et al: Birth defects among children born to a population occupationally exposed to pesticides in Colombia, p 239
Riihimäki H: Authors' reply (letter to the Editor), p 293
Rivera M: see Herbert et al, p 135
Rosengren L: see Barregård et al, p 423
Rosengren LE: see Haglid et al, p 145
Rossignol M: Directionality in the association between lumbar degenerative changes and back pain (letter to the Editor), p 293
Rossiter CE: see Miettinen & Rossiter, p 221
Rothman KJ: see Lanes et al, p 247
Saccomanno G: see Loomis et al, p 355
Sällsten G: see Barregård et al, p 423
Sankila R, et al: Cancer risk among health care personnel in Finland, 1971—1980, p 252
Santella RM: see Herbert et al, p 135
Santella RM: see Hemminki et al, p 158
Saracci R: see Blair et al, p 381
Savela K: see Hemminki et al, p 158
Savolainen K: see Kurttion & Savolainen, p 203
Schaumburg I, Olsen J: Risk of spontaneous abortion among Danish pharmacy assistants, p 169
Schneider T: Book review of Aerosol sampling and practice, p 149
Schneider T, et al: Dust in buildings with man-made mineral fiber ceiling boards p 434
Seppälä P: Book review of *Handbook of control room design and ergonomics,* p 217
Shalat SL: see Fleming et al, p 289
Shy C: see Blair et al, p 381
Shy CM: see Loomis et al, p 355
Skare I, et al: Mercury exposure of different origins among dentists and dental nurses, p 340
Skov P, et al: Influence of indoor climate on the sick building syndrome in an office environment, p 363
Skov T, et al: Reporting of occupational cancer in Denmark, p 401
Sluis-Cremer GK: see Hnizdo et al, p 411
Smeets M: see Kateman et al, p 428
Smid T: see Kateman et al, p 428
Soden KJ: see Lanes et al, p 247
Solberg HE: see Lundqvist et al, p 278
Spitteler M: see Kateman et al, p 428
Stefanidis M: see Herbert et al, p 135
Stewart PA: see Blair et al, p 381
Støttrup Hansen E: see Ahlbom et al, p 153
Stücker I, et al: Risk of spontaneous abortion among nurses handling antineoplastic drugs, p 102
Svane O: see Skov T, et al, p 401
Taskinen H: see Olsen et al, p 163
Taskinen HK: Effects of parental occupational exposures on spontaneous abortion and congenital malformation, p 297
Tedeschi M: see Vineis et al, p 444
Teppo L: see Sankila et al, p 252
Tham R: see Möller et al, p 189
Theorell T: Family history of hypertension — an individual

trait interacting with spontaneously occurring job stressors, suppl 1, p 74
Thiringer G: see Barregård et al, p 423
Thomassen Y: Book review of *Fundamentals of industrial hygiene*, p 216
Thomenson JA: see Baron & Themonsen, p 440
Thygesen L: see Lynge & Thygesen, p 108
Thygesen L: see Lynge & Thygesen, suppl 2
Vaaranen V: see Aiho et al, p 406
Valbjørn O: see Skov et al, p 363
Valentin J: Book review of *Radiation protection — theory and practice*, p 149
Vasama M: see Aiho et al, p 406
Verschuuren HG, Wilmer JW: Neurotoxicity of 1,1,1-trichloroethane questioned (letter to the Editor), p 144
Vineis P, et al: Solvent exposure and myelodysplastic syndrome (letter to the Editor), p 444
Volpe RA: Re: "Cardiovascular diseases and the work environment: a critical review of the epidemiologic literature on chemical factors" by TS Kristensen. *Scand J Work Environ Health* 1989;15:245—64 (letter to the Editor), p 147
Wass U, Belin L: An in vitro method for predicting sensitizing properties of inhaled chemicals, p 208
Weiner JA: see Skare et al, p 340
Wetterberg L: Lighting: nonvisual effects, suppl 1, p 26
Widström J: see Norbäck et al, p 121
Wigaeus-Hjelm EM: see Falk et al, p 372
Wikkelsö C: see Barregård et al, p 423
Wilmer JW: see Verschuuren & Wilmer, p 144
Wolff MS: see Herbert et al, p 135
Young T-L: see Hemminki et al, p 158
Zhiping W: see Falk et al, p 372

1,1,1-trichloroethane, 144, 145
Abortion, 232
Accident, 440
Accident insurance, 406
Adduct levels, 135
Adducts, 135, 158
Adverse reproductive outcome, 232, 239
Air quality, 121
Airborne microorganisms, 428
Airway symptoms, 270
Allergy, 208
α-Pinene, 372
Aluminum, 270
Aluminum potroom workers, 270
Amalgam, 340
Annoyance, suppl 1 p 29
Antibiotics, 169
Antineoplastic drugs, 102
Asbestos, 195, 348
Asthma, 208
Association, 440
Audiology, 189
Australia, 258
Back pain, 293
Behavior, suppl 1 p 5
Behavioral effects, suppl 1 p 5, suppl 1 p 17, suppl 1 p 29, suppl 1 p 51
Benzo[a]pyrene, 135, 158
Bile duct, p 247
Biological containment, 85
Biological markers, 355
Biological monitoring, 340, 203
Biosafety considerations, 85
Biotechnology hazard, 85
Birth defects, 232, 239
Birth rate, 96, 315
Birthmarks, 239
Blocked isocyanates, 208
Blood pressure, 258, suppl 1 p 74
Blood pressure change, 258
Blood-brain barrier, 423
Bright light, suppl 1 p 26
Buccal cavity, 247
Building ventilation, 121
Buildings, 434
Bus garage workers, 343
Byssinosis, 113
Cancer, 1, 381
Cancer incidence, 108, suppl 2
Cancer risk, 252
Capsules, 340
Carbon dioxide, 121
Carcinogenesis, 1
Cardiovascular diseases, 147
Case-base study, 323
Case-control study, 239
Case-referent study, 182, 239, 394,
Causal hypothesis, 221
Ceiling boards, 434
Cellulose fibers, 247
Census population, suppl 2
Central nervous effects, 372, suppl 1 p 17
Central nervous system, 182
Cerebrospinal fluid proteins, 423
Chemical factors, 147
Chernobyl, 96, 440
Chewing, 340
Children, 239, 329
Chromosomes, 355
Chronic obstructive pulmonary disease, 175
Chronic encephaloathy, 423
Chronic work stress, 258
Circadian, suppl 1 67
Cleaning, 434
Cluster analysis, 289
Coal-tar pitch, 135
Cold, suppl 1 44
Colombia, 232, 239
Combined effect, 411
Combined analysis, 163
Compensation claim, 401
Congenital malformations, 163, 297, 329
Conidia, 175
Cork dust, 175
Cork manufacturing process, 175
Cortisol, suppl 1 74
Cotton dust, 113
Cotton industry, 113
Cross-sectional study, 175, 270
Cytogenetics, 355
Cytostatics, 102
Data bases, 406
Denmark, 108, 315, 169, 401, suppl 2
Dental nurses, 340
Dentists, 129, 340, 334
Deoxyribonucleic acid, 85, 135, 158
Depression, suppl 1 p 26
Dermal exposure, 135
Detection, 135
Dexterity, 278
Diesel exhaust, 348
Dimethyl formamide, 289
Directionality, 293
Disability, 182
Discomfort, suppl 1 p 39
Diseases, 182
Distribution, 372
DNA binding, 158
Dry cleaning, 163
Dry-cleaning work, 108
Dry-cleaning workers, 163
Dust, 434
Dusts, 195
Electric fields, suppl 1 p 51
Electronystagmography, 189
Elimination, 372
Endotoxins, 428
Epidemiologic evidence, 221, 381
Epidemiologic methods, 221, 153
Epidemiology, 182, 270, 348, 284, 163
Epithelial cells, 355
Estimates, 406
Ethylenebisdithiocarbamate fungicides, 203
Ethylenethiourea, 203
Exertion, suppl 1 p 55
Exposure, 381, 394, 423, 440
Exposure assessment, 135
Exposure data, 224, 284
Exposure indicator, 203
Exposure-response relations, 175, 440
Extremely low-frequency magnetic fields, suppl 1 p 51
Extremely low-frequency electric fields, suppl 1 p 51
Family history, suppl 1 p 74
Faroe fishing industry, 278
Fatigue, 440
Fertility, 315
Finger temperature, 278
Finland, 406, 252
Fishing industry, 278
Floriculture, 239, 232
Formaldehyde, 381, 394
Foundry workers, 158
Gases, 195
General symptoms, 363
Genetic engineering, 85
Glass wool, 221
Glial fibrillary acidic protein, 423
Gold miners, 411
Government employees, 258
Great Britain, 113
Hands, 334
Hapten, 208
Headache, 440
Health requirements, 294
Health care personnel, 252
Heat, suppl 1 p 44
Hemangioma, 239
Herbicide packing plant, 440
High-frequency vibration, 334
Human behavioral toxicology, suppl 1 p 17
Human exposure, 372, suppl 1 p 51
Human performance, suppl 1 p 44
Human studies, suppl 1 p 51
Humans, 348
Humidifier fever, 428
Hyperreactivity, 121
Hypertension, suppl 1 p 74
Immunoassay analysis, 158
In vitro method, 208
Individual trait, suppl 1 p 74
Indoor air quality, 121
Indoor air, 434
Indoor climate, 363
Induced abortions, 96, 440
Inhalation, 372
Inhaled chemicals, 208
Interaction, 258, 411
International Committee on Nickel Carcinogenesis in Man, 1 Interpretation, 153
Ionizing radiation, 297
Irritative symptoms, 372
Ischemic heart disease, 247
Italy, 96
Jet lag, suppl 1 p 26
Job control, 258
Job stress, 329
Job stressors, suppl 1 p 74
Job demands, 258, suppl 1 p 74
Jobs, 294
Labor protection, 406
Larynx cancer, 394
Laundry work, 108
Lead, 297
Lethargy, 440
Leucocytes, 428
Lifetime occupational exposure, 195
Lighting, suppl 1 p 26
Linkage study, 401
Liver injury, 289
Liver, 247
Liver cancer, 108
Low birthweight, 163
Low-dose exposure, suppl 1 p 17
Lumbar degenerative changes, 293
Lung, 381
Lung cancer, 1, 113, 221, 348, 355, 394
Lung function, 270, 428
Magnetic fields, suppl 1 p 51
Malformation, 239
Man-made mineral fibers, 221, 434
Manual materials handling, suppl 1 p 59
Maximum acceptable work load, suppl 1 p 59
Measurement methods, suppl 1 p 5
Melanoma, 247
Melatonin, suppl 1 p 26
Mercury, 297
Mercury exposure, 340
Meta-analysis, 163, 221, 381
Metals, 297
Meteorological factors, 121
Methylene chloride, 247
Micronuclei, 355
Mild steel, 315
Mineral fibers, 221
Mining, 1, 355
Misclassification, 284
Moderate cold exposure, 278
Monitoring, 440
Mortality, 1, 113, 247, suppl 2
Mucosal irritation, 363

Musculoskeletal symptoms, 129
Myelodysplastic syndrome, 444
Nasal, 381
Nasal cancer, 1
Nasopharynx, 381
Neck, 129
Negative results, 153
"Negative" studies, 153
Neoplasms, 247, 252
Neurological symptoms, 129, 334
Neuropsychiatric disability, 182
Neurotoxic substances, suppl 1 p 17
Neurotoxicity, 144, 145, 423
New compensated cases, 406
Nickel carcinogenesis, 1
Nickel species, 1
Nickel, 1
Noise, suppl 1 p 74, suppl 1 p 29
Nonvisual effects, suppl 1 p 26
Norway, 195
Nurses, 102, 252
Occupation, 102, 284
Occupational, 182, 423
Occupational cancer, 401, suppl 2
Occupational clusters, 289
Occupational diseases, 252, 406
Occupational dust exposure, 195
Occupational epidemiology, 153
Occupational exposure, 121, 169, 158, 270, 289, 348, suppl 1 p 17
Occupational gas exposure, 195
Occupational hazard, 315
Occupational health, 355
Occupational hygiene, 203
Occupational reproductive studies, 284
Office environment, 363
Office workers, 363
One-way information, 440
Organic solvents, 297, 423
Otoneurological findings, 189
Ovarian epithelial neoplasms, 441, 442
Painters, 182
Pancreas, 247
Parental occupational exposure, 232, 239, 297
Pattern of respiratory impairment, 411
Perceived exertion, suppl 1 p 59
Perceived work stress, 258
Perception of effort, suppl 1 p 59
Performance, suppl 1 p 29, suppl 1 p 39, suppl 1 p 44
Personal factors, 121
Pesticide, 203, 232, 239
Pharmaceutical industry, 169
Pharmacy, 169
Pharmacy assistants, 169
Pharynx, 247
Phenol, 394
Physical effort, suppl 1 p 55
Physical strain, 297
Physical work, suppl 1 p 59, suppl 1 p 55
Physical work environment, suppl 1 p 5
Physicians, 252
Physiological effects, suppl 1, p 51
Pilot study, 444
Pine nurseries, 203
Pineal gland, suppl 1 p 26
α-Pinene, 372
Polycyclic aromatic hydrocarbons, 135, 348, 158
Population survey, 195
$\pm^{32}$P-postlabeling assay, 135
$\pm^{32}$P-postlabeling, 158
Posturography, 189
Potato farms, 203
Precision, 153
Preemployment screening, 289
Pregnancy, 284
Pregnancy outcome, 102, 163, 329
Prematurity, 232
Prevalence, 232, 411
Primary liver cancer, 108
Principal components, 258
Production, 85
Production workers, 247
Prolactin, suppl 1 p 74
Prospective study, 258
Psychological effects, suppl 1, p 51
Psychology, suppl 1 p 67
Psychophysical scaling, suppl 1 p 55
Psychophysics, suppl 1 p 55
Psychophysiological effects, suppl 1 p 5, suppl 1 p 29
Psychophysiology, suppl 1 p 5, suppl 1 p 29, suppl 1 p 39, suppl 1 p 67
Psychosocial factors, 121
Pulmonary function, 175, 372
Quartz, 195
Questionnaire, 284
Radiation effects, 96
Radioimmunoassay, suppl 1 p 26
Radon, 355
Rating of perceived exertion, suppl 1 p 55
Ratings of exertion, suppl 1 p 55
Raynaud's phenomenon, 129
Recall bias, 323
Recombinant deoxyribonucleic acid, 85
Refining, 1
Register linkage, suppl 2
Relationship, 135, 381, 428
Report, 1
Reporting, 401
Reproduction, 315
Reproductive failures, 163, 323, 329
Reproductive hazard, 102
Reproductive outcome, 169
Research methodology, suppl 1 p 17
Research strategies, suppl 1 p 5
Respiratory cancer, 394
Respiratory disease, 113
Respiratory hypersensitivity, 175
Respiratory impairments, 411
Respiratory symptoms, 175, 270
Respiratory tract sensitization, 208
Review, 85, 153, 221, 297, 381, suppl 1 p 29
Rewarming, 278
Risk assessment, 85
Risk management, 85
Rock wool, 221
Roofers, 135
Safety requirements, 294
Scales, suppl 1 p 55
Scandinavia, 163
Seasonal variation, suppl 1 p 26
Selection bias, 323
Sensitivity, 284
Sensitizing properties, 208
Sensory perception, 334
Shift work, suppl 1 p 67
Shortwaves, 297
Sick building syndrome, 121, 363
Silica dust, 411
Silica dust exposure, 411
Slag wool, 221
Sleep, suppl 1 p 67
Sleepiness, suppl 1 p 67
Smelting operations, 1
Smoking, 411
Smoking cessation advice, 195
Smoking habits, 195
Social behavior, suppl 1 p 44
Social support, 258
Solvent exposure, 444
Solvents, 182, 247
Specificity, 284
Spontaneous abortion, 102, 163, 169, 297, 323
Sputum, 355
Stainless steel, 315
Standardization of rates, 221
Static electricity, 121
Statistical modeling, 121
Stenching agent, 440
Stillbirths, 232
Stress, suppl 1 p 74
Styrene, 189
Suberosis, 175
Subjective, 440
Subjective effects, suppl 1 p 29
Subjective symptoms, suppl 1 p 55
Surface, 434
Surveillance systems, suppl 2
Temperature thresholds, 334
Terpenes, 372
Testosterone, suppl 1 p 74
Tetrachloroethylene, 108,163
Thermal comfort, 278
Thermal stress, suppl 1 p 44
Tobacco smoking, 121
Tobacco smoking, 411
Toluene diisocyanate, p 175
Toxicokinetics, 372
Triazine herbicides, 441, 442
Ultrasound, 297
Underground miners, 411
United States, 182
Update, 394
Upper extremities, 129
Uptake, 372
Uranium workers, p 355
Urinary mercury, 340
Urine, 203
Validity, 153, 284
Ventilation, 434
Vestibulomotor-oculomotor reflex, 189
Vibration, suppl 1 p 39
Vibration thresholds, p 334
Video display terminals, 323, 329
Visual suppression, p 189
Volatile organic compounds, 121
Water temperature, 278
Welders, 315
Welding, 315
White blood cells, 135, 158
Woodworkers, 394
Work during pregnancy, 323, 329
Work environment, 147, suppl 1 p 17
Work load, suppl 1 p 55
Workers, 113, 175

ACKNOWLEDGMENTS

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers.

Torbjörn Åkerstedt
Irma Åstrand
Anders Ahlbom
Antero Aitio
Kjell Andersson
Kurt Andersson
Benedict Armstrong
Arpo Aromaa
Olav Axelson
Margaret Becklake
Lars Belin
Ulf Bergqvist
Maths Berlin
Pier Alberto Bertazzi
Håkan Beving
Aaron Blair
Paolo Boffeta
Erik Bye
L Carpenter
David Coggon
Karl-Heinz Cohr
Ronald Dahl
Erik Dybing
Christer Edling
Carl Gustaf Elinder
Frode Fonnum
Lennart Forstén
Francesco Gamberale
Gösta Gemne
Philippe Grandjean
Sander Greenland
Per Gregersen
Mats Hagberg
Kenneth Haglid
Matti Hakama
Timo Hakulinen
Rolf Hanoa
Kari Hemminki
Matti Hillbom
Gunnar Hillerdal
Christer Hogstedt
J Fintan Hurley
Matti Huuskonen
Lea Hyvärinen
Anders Iregren
Bengt Jonsson
Juhani Juntunen
Esko Kalimo
Raija Kalimo
Lasse Kanerva
Timo Kauppinen
Åsa Kilbom
Matti Klockars
Bengt Knave
Anders Knutsson
Birgitta Kolmodin-Hedman
Olli Korhonen
Riitta-Sisko Koskela
Marjut Kotimaa
Ilkka Kuorinka
Kari Kurppa
Bo Lambert
Sverre Langård
Per-Olov Levin
Kari Lindström
Ingvar Lundberg
Heikki Luoma
Elsebeth Lynge
Jukka Mäkitie
Hans Malker
Per Malmberg
Esko Matikainen
Corbett McDonald
Giovanni Moneta
Gunnar Mowé
Jörn Nielsen
Gunnar Nordberg
Henrik Nordman
Staffan Norell
Hannu Norppa
Tor Norseth
Veijo Notkola
Tuula Nurminen
Stephen Olenchock
Palle Ørbæk
Jørn Olsen
CN Ong
Siv Osterman-Golkar
Timo Partanen
Pirkko Pfäffli
Ilmari Pyykkö
Christoffer Rappe
Hilkka Riihimäki
Vesa Riihimäki
Juha Ristell
Christina Rosenberg
Ragnar Rylander
Tapio Rytömaa
Jorma Saari
Heikki Saarni
Mikko Salaspuro
Rodolfo Saracci
Rainer Schimberg
Thomas Schneider
Andrejs Schütz
Anthony Seaton
Anna Maria Seppäläinen
Olli Seppänen
Harry Shannon
Staffan Skerfving
Peder Skov
Marja Sorsa
Jukka Starck
Brita Stenius-Aarniala
Eva Støttrup Hansen
Hannu Suoranta
Tage Søndergaard Kristensen
Eero Taskinen
Helena Taskinen
Kari Teramo
Erkki O Terho
Töres Theorell
Gunnar Thiringer
Yngvar Thomassen
Antti Tossavainen
Duncan Troup
Jaakko Tuomilehto
Kirsti Vähäkangas
Harri Vainio
Kate Venables
Eira Viikari-Juntura
Hannu Voipio
Leo von Konow
Jan Wahlberg
Arne Wennberg
Peter Westerholm
Gustav Wikström

Published by
Institute of Occupational Health, Finland
National Institute of Occupational Health, Denmark
National institute of Occupational Health, Norway
National institute of Occupational Health, Sweden

Address: Topeliuksenkatu 41 a A, SF-00250 Helsinki, Finland

Subscription for 1990 (6 regular issues plus supplements): FIM 660.00 surface mail, FIM 825.00 air mail

Vammala 1990 Vammalan Kirjapaino Oy